



TIKKURILA

CLEANING AGENTS

Mould is blooming on a garden fence, decking looks filthy, the sheet metal roof also needs attention. The sun mercilessly reveals all the spots which need cleaning, washing and maintenance. With a careful cleaning you will ensure a successful maintenance painting, prolong the life of your house, and refresh the look and atmosphere of the surroundings.



DETERGENTS FOR A THOROUGH CLEANING FROM TIKKURILA

Your home is worth regular cleaning – also exterior surfaces. Treated surfaces need care and maintenance for enduring years of usage and seasonal changes. Exterior surfaces are exposed to all kind of dirt, mould growth, moss, algae and pollen. By keeping the surfaces clean you prevent micro-organisms from growing and ensure a successful maintenance treatment.

HUOLTOPESU, MAINTENANCE CLEANER

Revamp surfaces in good condition

Clean good-looking surfaces from dirt and early stages of the surface mould. Mixing ratio: 1:10. Increase cleaning power by using less water.



facades • terraces • furniture • fences • wood • metal • plaster
• concrete • plastic • interior and exterior surfaces

HOMEENPOISTO, MOULD REMOVAL

Remove mould growth before maintenance painting

Surfaces need to be cleaned prior to maintenance treatment. Mould Removal destroys mould growth from the surfaces ensuring successful maintenance treatment. Choose the liquid concentrate (1:3) or water soluble tablets. (1–2 tab/litre of water).



facades • terraces • garden furniture • steps • fences • wood • plaster • concrete • fibre-cement boards • exterior surfaces

TEHOPESU, POWER CLEAN

Brighten wooden deckings and garden furniture before maintenance treatment

The patented Tehopesu Power Clean removes the greyish surface layer of the wood and removes mould and dirt. Mix a 0.5 litre can into 5 litres of water and a 1 litre can into 10 litres of water.



terraces • garden furniture • steps • fences • grates • wood
• plaster • concrete • plastic • exterior and interior surfaces

MAALIPESU, PAINT CLEANER

Strong diluting power even for roughening surfaces

The Maalipesu Paint Cleaner is an efficient cleaning agent for interior and exterior use before painting. Paint Cleaner softens and roughens previously treated surfaces and improves the adhesion of the new paint layer.



walls • floors • furniture • doors • window frames • wood •
concrete and plaster • plastic • exterior and interior use

PANSSARIPESU, ROOF CLEANER

For pretreatment of sheet metal roofs

The Roof Cleaning Agent can be used to clean both unpainted and previously painted zinc-coated or painted roof before repainting.



sheet-metal roofs • metal weatherboards • zinc-coated surfaces • metal frames

PENSSELIPESU, TOOL CLEANER

Solvent-free cleaning power for cleaning painting tools

You can clean the paint brushes and rollers easily with the Tikkurila Tool Cleaner. It loosens water-borne and solvent-borne paint effectively. It has a mild odour and is solvent-free. Dissolves even slightly dried paint from brushes as well as paint stains.



paint brushes • rollers • screeners • paint stains • exterior and interior use

WATER-SOLUBLE DETERGENTS

Huoltipesu Maintenance Cleaner

Homeenpoisto Mould Removal

Homeenpoisto Mould Removal tablets



Used as a cleaning agent for regular cleaning

Used for mould removal on wood, plaster and concrete surfaces. Also for untreated and treated concrete tile and fiber-cement roof surfaces. Cleans and whitens.

Used for mould removal prior to painting. Cleans and whitens the surface.

Facades, decks, fences, outdoor furniture, stairs

Facades, decks, fences, outdoor furniture, stairs

Facades, decks, fences, outdoor furniture, stairs

Does not require repainting

Requires repainting

Requires repainting

Mixing ratio 1:10

Mixing ratio 1:3

Mix 1–2 tablets into 1 litre of water depending on the condition of the surface

For interior and exterior surfaces

For exterior surfaces

For exterior surfaces

Wood, metal, plaster, concrete and plastic surfaces

For wood, plaster and concrete surfaces as well as fiber-cement board surfaces

For wood, plaster and concrete surfaces as well as fiber-cement board surfaces

Use the cleaner according to the instructions on the label. Protect yourself and any surfaces not to be cleaned (windows, plants, etc.) from spatter. Make cleaning of very dirty surfaces more efficient with a brush or a similar non-scratching tool. The cleaning agent must not dry onto the surface so avoid working in direct sunlight.

Tehopesu Super Clean (patent FI 120542)



Powdery detergent, cleans and whitens wood efficiently before repainting

Facades, decks, fences, outdoor furniture, stairs

Requires repainting

Mixing ratio: 0,5 l can into 5 l or 1 l can into 10 l of water

For interior and exterior surfaces

Wood, metal, plaster, concrete and plastic surfaces

Maalipesu Paint Cleaner



Alkaline cleaning and pretreatment agent, also for general cleaning as a diluted solution

Walls, floors, doors, furniture

Requires repainting if used as a strong dilution

Mixing ratio in water 1:10 or 1:5 when used as a pretreatment agent

For interior and exterior surfaces

Wood, metal, plaster, concrete and plastic surfaces

Panssaripesu Roof Cleaning Agent



Cleaning agent containing ammonia, for pretreatment of metal surfaces

New zincd and previously painted roofs

Requires repainting

Mixing ratio 1:4

For exterior surfaces

For metal surfaces

Pensselipesu Tool Cleaner



Cleaning agent for cleaning painting tools

For removal of water-borne and solvent-borne paints from tools

Do not dilute


Painting tools, paint stains

*not for sheet metal roofs

Rinse the surface carefully. Let the surfaces dry before surface treatment. Test the effect of the cleaning agent in an unnoticeable spot to check the time needed for the agent to work and the strength of the mixture. The amount of cleaner needed depends on the cleaning needs.



TIKKURILA



2016

MES PESU C0 00

TIKKURILA OYJ

PL/PO Box 53, FI-01301 Vantaa, Puh./Tel. +358 20 191 2000
www.tikkurila.com