VALTTI WOOD FINISHES AND STAINS

For boards, logs, impregnated wood, thermally modified wood.

PRIMING	SURFACE TREATMENT	
Valtti Pohjuste	Valtti Color	matt wood finish
Valtti Akvabase 🍐	Valtti Akvacolor 🍐	matt wood finish
	Valtti Arctic 🍐	pearlescent wood stain
	Valtti Color Extra *	gloss wood stain
	Valtti Color Satin	satin-matt wood finish

- * The product is not suitable for logs
- ▲ water-borne



VALTTI COLOR SATIN

Oil-based, tintable satin-matt wood finish for outdoor use.



VALTTI AKVABASE

Natural oil-based, modern primer that is absorbed into the wood, for outdoor use.



VALTTI POHJUSTE

Oil-based, traditional primer that is absorbed into the wood, for outdoor use.



VALTTI AKVACOLOR

Natural oil-based, tintable translucent wood stain, for outdoor use.



VALTTI COLOR

Oil-based, tintable translucent wood stain for outdoor use.



VALTTI ARCTIC

Natural oil-based, tintable pearlescent wood stain for outdoor use.



VALTTI COLOR EXTRA

Oil-based, tintable gloss wood stain for outdoor use.








VALTTI PROTECTS WOOD SURFACES

Sun and moisture are merciless on wood surfaces. Mould and blue annealing fungus thrive on untreated surfaces and cause unsightly discolouration. Therefore you should prime wood and protect it as early as possible during construction. Maintenance treatment should also be done on time. The Valtti product family offers suitable treatments from top to bottom. The products protect wood efficiently against weathering.





VALTTI AKVABASE

Natural oil-based, modern wood primer that is absorbed into the wood, for outdoor use

- water-borne
- slows down moisture absorption and improves the performance of the whole coating system.
- Used for: the priming of logs, sawn and planed timber, thermally modified and impregnated wood outdoors prior to surface treatment
- colourless



VALTTI POHJUSTE

Oil-based, traditional wood primer that is absorbed into the wood, for outdoor use

- solvent-borne
- slows down moisture absorption and improves the performance of the whole coating system.
- Used for: the priming of logs, sawn and planed timber, thermally modified and impregnated wood outdoors prior to surface treatment
- colourless



VALTTI AKVACOLOR

Natural oil-based, tintable translucent wood stain for outdoor use

- water-borne
- easily absorbed into the wood
- slows down moisture absorption
- Used for: exterior walls, fences
- Suitable surfaces: logs, sawn and planed timber, impregnated and thermally modified wood
- To be tinted before use
- · colours: Valtti colour card



VALTTI COLOR

Oil-based, tintable translucent wood finish for outdoor use


- solvent-borne
- easily absorbed into the wood
- slows down moisture absorption
- Used for: exterior walls, fences
- Suitable surfaces: logs, sawn and planed timber, impregnated and thermally modified wood
- To be tinted before use
- colours: Valtti colour card



VALTTI ARCTIC

Natural oil-based, tintable pearl stain for outdoor use

- water-borne
- slows down moisture absorption into the wood
- Gives the wood a pretty pearly sheen
- Used for: exterior walls, fences, milieu construction
- Suitable surfaces: logs, sawn and planed timber, impregnated and thermally modified wood
- To be tinted before use
- colours: Arctic colour card



VALTTI COLOR EXTRA

Oil-based, tintable translucent wood stain for outdoor use

- solvent-borne
- a gloss finish protects the wood from weathering
- slows down moisture absorption into wood
- Used for: board-clad walls, fences, doors, windows
- Suitable surfaces: sawn and planed timber, impregnated and thermally modified wood
- To be tinted before use
- colours: Valtti colour card



VALTTI COLOR SATIN

Oil-based, tintable satin-matt wood finish for outdoor use

- solvent-borne
- gives a satin-matt protection for the surface
- slows down moisture absorption into the wood
- Used for: exterior walls, fences, window frames, doors
- Suitable surfaces: logs, sawn and planed timber, impregnated and thermally treated wood
- To be tinted before use
- colours: Valtti colour card