


International Decorative Product Range



| CONTENT | INTERIOR | 5 |
|---------|--------------------------------------|----|
| | Ceilings, Walls | 6 |
| | Furniture & Fixture, Doors & Windows | 10 |
| | Floors | 13 |
| | Sauna & Spa | 14 |
| | Effect Paints | 16 |
| | Functional paints | 20 |
| | EXTERIOR | 23 |
| | Roofs | 24 |
| | Facades | 28 |
| | GARDEN | 33 |
| | Garden | 34 |
| | Products in alphabetical order | 38 |



INTERIOR





(Ceilings, Walls



Furniture & Fixture, Doors & Windows



Floors



Sauna & Spa



Effect paints



Functional Paints



Ceilings, Walls

Different spaces require different solutions. Tikkurila has developed interior paints that always offer a durable and functional end result. From our wide range of products, you can always find a secure, high-quality solution for all surfaces.

FILLERS



Hole-in-1

Super-light filler for peg holes, cracks and other blemishes. Fills holes of up to 50 mm in depth at one go.

BASE PAINTS/COLORS:

CAN SIZES:

CERTIFICATES:

250 ML TUBE, 500 ML CAN



Presto Pikasilote

Rapid filler for repairing scratches, smoothing out small surface areas and giving the final touches to dry interiors before application of topcoat.

BASE PAINTS / COLORS: WHITE

CAN SIZES: 200 ML, 400 ML

CERTIFICATES:



Ready-to-use, water-borne filler for roller or steel trowel application. Suitable also for fastening joint tapes.

PRESTO R

BASE PAINTS/COLORS: LIGHT GREEN

CAN SIZES: 12 L



PRESTO LV MÄRKÄTILATASOITE

Presto LV

FILLER

Water-borne, ready-to-use light filler for wetrooms. Filling capacity of 4 mm without cracking. Suitable also for fastening joint tapes.

BASE PAINTS / COLORS: **BLUE-GREY**

CERTIFICATES:



Luja Yleispohjamaali

Universal primer for demanding applications, contains anti-mold agent.

BASE PAINTS/COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L, 18 L

CERTIFICATES:





Optiva Primer

Paint for priming of walls and ceilings.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



TOPCOATS



AntiReflex White 2

BASE PAINTS / COLORS:

CERTIFICATES:

Full-matt, anti-reflex paint for ceilings.

CAN SIZES:

defects on the surface.

Harmony

BASE PAINTS / COLORS:

CERTIFICATES:

Full-matt, wall paint that evens out minor

CAN SIZES:

0

0.225 L, 0.9 L, 2.7 L, 9 L, 18 L

Joker

Matt, high performance wall paint, proven to be safe.

JOKER

BASE PAINTS / COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 7.22 L, 9 L, 18 L (A-BASE)

















TOPCOATS



Luja 7

Matt, extremely durable, moisture and dirt-resistant wall paint. Contains antimold agent.

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:







CERTIFICATES:

Luja 20

mold agent.

TOPCOAT



Semi-matt, extremely durable, moisture

and dirt-resistant wall paint. Contains anti-



LUJA 20



Luja 40

Semi-gloss, extremely durable, moisture and dirt-resistant wall paint. Contains anti-mold agent.

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.9 L, 2.7 L, 9 L, 18 L (A-BASE)

CERTIFICATES:







Optiva 3 Ceramic

TOPCOAT

Full-matt, durable wall paint with ceramic technology. Durable Optiva paints offer a safe and environmentally friendly solution with zero VOC*. Optiva products also fulfill the requirements for LEED and BREAM**.

BASE PAINTS/COLORS: A, C

CERTIFICATES:





CAN SIZES:

Optiva 5

TOPCOAT

Matt, durable wall paint. Durable Optiva paints offer a safe and environmentally friendly solution with zero VOC*. Optiva products also fulfill the requirements for LEED and BREAM**.

OPTIVA 5

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.45 L, 0.9 L, 2.7 L, 9 L, 18 L (A-BASE)

CERTIFICATES:





Optiva 7

TOPCOAT

Satin-matt, durable wall paint. Durable Optiva paints offer a safe and environmentally friendly solution with zero VOC*. Optiva products also fulfill the requirements for LEED and BREAM**.

OPTIVA 7

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:







TOPCOATS



Optiva 20

TOPCOAT

Semi-matt, durable wall paint. Durable Optiva paints offer a safe and environmentally friendly solution with zero VOC*. Optiva products also fulfill the requirements for LEED and BREAM**.

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:







*ACCORDING TO NORM PN-EN ISO 11890:2.

**ACQUAINT YOURSELF WITH THE DETAILS IN PRODUCT DECLARATION CONCERNING BREEAM INTERNATIONAL SYSTEM.



Furniture & Fixture, **Doors & Windows**

Every now and then, details around the house require a little touch up. Tikkurila offers a solution for worn-out surfaces. With various options for color and gloss, the premium quality products are suitable for different wooden interior surfaces.

PRIMERS



Helmi Pohjamaali

Water-borne, versatile primer for handcrafted kitchens, furniture, interior trim and mouldings with excellent adhesion.

BASE PAINTS/COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L

CERTIFICATES:





Multistop

Sealing primer for the prevention of discoloration on interior wooden surfaces, with special stain blocking technology.

CAN SIZES:

1L, 3L, 10L

BASE PAINTS / COLORS: WHITE F497

CERTIFICATES:





Otex Akva

Adhesion primer for surfaces that require excellent adhesion and levelling, such as glass, tiles, glass fibre, zinc etc.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



FILLERS




Helmi Kalustekitti

Ready-to-use furniture putty in a handy soft tube. Filling capacity 3 mm. The patch can be sanded and the topcoat applied quickly: a hole of 1 mm in depth in approximately 1 hour.

CAN SIZES:

BASE PAINTS / COLORS:

CERTIFICATES:



TOPCOATS



Helmi 10

Matt, water-borne paint for a large spectrum of interior projects including handcrafted kitchens, furniture, interior trim and mouldings. Quick drying, provides a hardwearing scrub resistant finish.

BASE PAINTS / COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L (A-BASE)

CERTIFICATES:









Helmi 30

TOPCOAT

Semi-matt, water-borne paint for a large spectrum of interior projects including handcrafted kitchens, furniture, interior trim and mouldings. Quick drying, provides a hardwearing scrub resistant finish.

BASE PAINTS / COLORS: A, C

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L (A-BASE)









Gloss, water-borne paint for a large spectrum of interior projects including handcrafted kitchens, furniture, interior trim and mouldings. Quick drying, provides a hardwearing scrub resistant finish.

HELMI 81

BASE PAINTS / COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L (A-BASE)

CERTIFICATES:











Kiva 10

LACQUER

Matt, water-borne, non-yellowing, acrylate lacquer for furniture, paneled walls, wooden ceilings and doors.

BASE PAINTS/COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L

CERTIFICATES:







Kiva 30

LACQUER

Semi-matt, water-borne, non-yellowing acrylate lacquer for furniture, paneled walls, wooden ceilings and doors.

BASE PAINTS / COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L

CERTIFICATES:







Kiva 50

LACQUER

Semi-gloss, water-borne, non-yellowing acrylate lacquer for furniture, paneled walls, wooden ceilings and doors.

BASE PAINTS/COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L

CERTIFICATES:





LACQUERS



Kiva 70

LACQUER

Glossy, water-borne, non-yellowing acrylate lacquer for furniture, paneled walls, wooden ceilings and doors.

BASE PAINTS/COLORS:

CAN SIZES: 0.225 L, 0.9 L, 2.7 L, 9 L

CERTIFICATES:







Paneeli Ässä 10

Matt lacquer for panel walls, ceilings and log surfaces.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



BASE PAINTS/COLORS:

Paneeli Ässä 20

ceilings and log surfaces.

LACQUER

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



Semi-matt lacquer for panel walls,



Floors

Top-quality paint gives an old floor a new, shinier life. Tikkurila provides interior products, designed exclusively for floor materials.



BASE PAINTS / COLORS:

PRIMERS

CAN SIZES:



Betolux Akva Pohjuste



Betolux Akva

Quick drying and non-yellowing, water-borne floor paint for concrete & wooden floors.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L, 18 L

13

CERTIFICATES:




CERTIFICATES: TOPCOATS



Sauna & Spa

In the sauna, it is essential to use finishing products that absorb well into wooden materials, leaving the surface smooth and comfortable. Tikkurila Supi products efficiently protect surfaces from humidity and dirt and offer a wide range of shades to help update the style and atmosphere of the sauna.





Supi Saunavaha

Water-borne sauna wax that contains natural wax. Gives a natural, humid and dirt resistant surface. Also for sauna benches.

BASE PAINTS/COLORS:

CAN SIZES: 0.9L, 2.7L BLACK/GREY/WHITE IN 1L, 3L

CERTIFICATES:





Supi Saunasuoja

Protective finish for walls and ceilings especially in humid sauna steam rooms, contains anti-mold agent. Seals surfaces against moisture and dirt. Also for concrete and tile surfaces.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:





Supi Saunapesu

CLEANING AGENT

Cleaning agent for saunas that bleaches and dissolves scale deposits and desinfects effectively without chlorine.

BASE PAINTS / COLORS:

CAN SIZES: 0.5 L, 1 L

CERTIFICATES:



Supi Lattiaöljy

Oil for wooden floors in humid rooms, contains anti-mold agent.

BASE PAINTS / COLORS:

CAN SIZES:





Supi Laudesuoja SAUNA BENCH PROTECTION

Protects wooden sauna benches from moisture and dirt. Natural paraffin oil is absorbed into the wood, deepening the natural color of the wood.

BASE PAINTS/COLORS:

CAN SIZES: 250 ML, 1 L

CERTIFICATES:





Effect Paints

Creating unique, eye-catching surfaces has never been easier. Tikkurila has developed an easy-to-use range of interior effect coatings to help your project to stand out. Be it chalkboards, colorful details or glow-in-the-dark murals, we offer a solution.



Magnetic

Special paint to create magnetic surfaces in private and public interior spaces.

BASE PAINTS / COLORS:

CERTIFICATES:

CAN SIZES:

CERTIFICATES:



Muuri

Full-matt fireplace and firewall paint with excellent heat resistance

BASE PAINTS / COLORS: CAN SIZES:





Taika Pearl Paint Gold

Opaque pearlescent paint to create luxurious finishes on walls, furniture and other interior details. Available in gold or in a wide range of colors. Combining different techniques and products provides endless possibilities.

BASE PAINTS / COLORS: GOLD, HM, KM

CAN SIZES: 0.1 L, 0.225 L, 0.9 L, 2.7 L

CERTIFICATES:







Black

A perfectly black semi-matt interior wall paint. Black brings depth and a dramatic modern feel to your home and is easy to keep clean.

BASE PAINTS / COLORS: BLACK

CERTIFICATES:







Liitu

Matt chalkboard paint that withstands repeated wiping. Tintable in any color.

BASE PAINTS / COLORS: A,C, BLACK

CAN SIZES: A & C BASE: 0.225 L, 0.9 L. BLACK: 0.33 L, 1 L.





Lumi

Brilliant white full-matt, interior wall paint. Special pigments make rooms appear lighter.

BASE PAINTS / COLORS:

CERTIFICATES:

CAN SIZES: 0.9 L, 2.7 L, 9 L, 18 L





Taika Pearl Paint Silver

Opaque pearlescent paint to create luxurious finishes on walls, furniture and other interior details. Available in silver or in a wide range of colors. Combining different techniques and products provides endless possibilities.

BASE PAINTS / COLORS: SILVER, HM, KM

CAN SIZES: 0.1 L, 0.225 L, 0.9 L, 2.7 L

CERTIFICATES:







Taika Pearl Glaze Gold

Semi-transparent product which gives a subtle pearlescent finish to existing opaque wall coatings and furniture. Combining different techniques and products provides endless possibilities.

BASE PAINTS / COLORS: GOLD, HL, KL

CERTIFICATES:



CAN SIZES:

0.9 L, 2.7 L



Taika Pearl Glaze Silver

Semi-transparent product which gives a subtle pearlescent finish to existing opaque wall coatings and furniture. Combining different techniques and products provides endless possibilities.

BASE PAINTS / COLORS: SILVER, HL, KL

CAN SIZES: 0.9 L, 2.7 L

CERTIFICATES:





Taika Stardust Gold

Transparent effect glaze that contains glittering gold particles. Used on painted surfaces to create a metallic sparkle. Light brings out the sparkle.

BASE PAINTS/COLORS: GOLD

CAN SIZES:

CERTIFICATES:





Taika Stardust Silver

Transparent effect glaze that contains glittering silver particles. Used on painted surfaces to create a metallic sparkle. Light brings out the sparkle.

BASE PAINTS / COLORS:

CAN SIZES:

CERTIFICATES:





Taika Glow

Effect lacquer that glows in the dark, adding safety to rooms at the same time. Creates a glowing effect for up to 6 hours. Translucent, slightly yellowish. In the dark glows greenish.

BASE PAINTS/COLORS: TRANSLUCENT, SLIGHTLY YELLOWISH. IN THE DARK GLOWS GREENISH.

CAN SIZES:

CERTIFICATES:





Tunto Karhea (Coarse)

Vibrant, fashionably rough surfaces that change with the light for interior walls and fireplaces. The tactile textured finish adds a third dimension to colour.

BASE PAINTS/COLORS: RPA, RPC

CAN SIZES: 2.7 L, 9 L

CERTIFICATES:







Tunto Hieno (Fine)

Fine full-matt textured finish for interior walls. For creating of individualized effect surfaces on wall, e.g. for imitating concrete.

CAN SIZES:

2.7 L, 9 L

BASE PAINTS / COLORS: AP, C

CERTIFICATES:




Tunto Kivi (Stone)

Genuine natural stone coating that adds a third dimension the the wall. Contains natural Finnish stones.

BASE PAINTS/COLORS: KPA, KPC

CAN SIZES: 14 KG

CERTIFICATES:



19



Functional paints

Tikkurila functional coatings provide excellent protection against moisture, condensation and noise. These products are especially suitable for hospitals, swimming halls, production facilities and all other spaces where cleanliness is of the utmost importance.



Argentum 20

Hygienic extra durable special paint with anti-bacterial properties and excellent wear and wet scrub resistance.

BASE PAINTS/COLORS:

CAN SIZES: 9L, 18L

CERTIFICATES:

M1



BioRid

Functional coating to prevent moisture problems and mold. Microporous matrix-technology.

BASE PAINTS / COLORS:

CERTIFICATES:

5/COLORS: CAN SIZES: 9L, 18L

CE




BioRid Spray

Sprayable functional coating to prevent moisture problems and mold. Microporous matrix-technology.

BASE PAINTS/COLORS: CAN SIZES: WHITE 18 L, 100 L

CERTIFICATES:





CAN SIZES:

5 L, 25 L

BioWash

Cleaning agent for removing mold and algae.

BASE PAINTS / COLORS:

CERTIFICATES:



ProSeal

Primer for porous surfaces prior to Biorid treatment. Seals porous surfaces.

CAN SIZES:

5 L, 25 L

BASE PAINTS/COLORS:

CERTIFICATES:



GrafoTherm

Anti-condensation coating with excellent moisture absorption capacity. Microporous matrix-technology.

BASE PAINTS / COLORS: WHITE, GREY CAN SIZES: 18L, 100 L

CERTIFICATES:



20 INTERIOR – FUNCTIONAL PAINTS





Roofs

Tikkurila offers durable solutions for protecting roofs from environmental stress. The goal of our products is to prolong the life of the roof by protecting the materials in different weather conditions. Tikkurila has developed environmentally friendly roof-coating systems that significantly reduce the costs of buildings' cooling systems.





Climate Cooler Cleaner

Cleaning agent for roofing materials such as concrete, fiber cement and bitumen. Concentrated highly effective disinfectant.

BASE PAINTS/COLORS:

CAN SIZES: 25 L

CERTIFICATES:



Climate Cooler Uni Primer

Functional, heat-reflecting acrylate primer for mineral roofs such as concrete, fiber cement and bitumen.

BASE PAINTS / COLORS:

CAN SIZES: 20 L

CERTIFICATES:



Climate Cooler Uni Topcoat

Functional, heat-reflecting acrylate topcoat for tile roofs.

BASE PAINTS / COLORS: BLACK, LIGHT GREY, DARK BROWN TILE RED, WHITE, AND ANTHRACITE DARK

CAN SIZES: 20 L CERTIFICATES:



Climate Cooler Flex Primer

Functional, flexible heat-reflecting acrylate primer paint for bitumen roofs such as concrete, fiber cement and bitumen.

CAN SIZES:

BASE PAINTS / COLORS: WHITE

CERTIFICATES:



Climate Cooler Flex Topcoat

Functional, flexible heat-reflecting acrylate topcoat for bitumen roofs such as concrete, fiber cement and bitumen.

BASE PAINTS / COLORS: BLACK, LIGHT GREY, DARK BROWN, TILE RED, WHITE, AND ANTHRACITE DARK

CAN SIZES:

CERTIFICATES:

24 EXTERIOR - ROOFS



CLEANING



Panssaripesu

CLEANING AGENT

Cleaning agent for sheet metal roofs, efficiently removes grease, soot, pollen and other dirt accumulated on the roof.

BASE PAINTS / COLORS:

CAN SIZES: 1L, 5L, 10L

CERTIFICATES:

PRIMERS



Rostex Super Akva

METAL PRIMER

Water-borne anti-corrosion primer with excellent adhesion on metal, especially on zinc. For both interior & exterior use, almost odourless.

BASE PAINTS / COLORS: LIGHT GREY, DARK GREY CAN SIZES: 0.33 L, 1 L, 3 L, 10 L

CERTIFICATES:

TOPCOATS



Kilpi Huopakattomaali

BITUMEN ROOF PAINT

Water-borne acrylate paint for maintenance painting of felt roofings. Paint remains flexible even at low temperatures.

CAN SIZES:

2.7 L, 9 L

BASE PAINTS / COLORS:

CERTIFICATES:



Kilpi Tiilikattomaali

TILE ROOF PAINT

Water-borne acrylate paint for maintenance painting of tile roofs. Retards the penetration of water into the structure.

BASE PAINTS / COLORS: TILE RED (0511), COTTAGE RED (0517), BROWN (0518), DARK GREY (0520), BLACK (0521).

CAN SIZES:

ZES: CERTIFICATES:



Panssari Akva

METAL ROOF PAINT

Semi-matt acrylic paint for metal surfaces, especially roofs. Excellent color and gloss retention, good adhesion on many substrates.

BASE PAINTS/COLORS: CAN SIZES:
A, C 0.9 L, 2.7 L, 9 L, 18 L

CERTIFICATES:

26 EXTERIOR - ROOFS EXTERIOR - ROOFS



Facades

Even in the most demanding weather conditions, walls, socles, facades and balconies should last for decades. Tikkurila has developed durable and trustworthy products that give surfaces the desired look while making them last longer. Our wide range of products offers various colors and qualities. The new Facade collection Finngard offers high-quality paints with self-cleaning properties.

CLEANING



Talon Huoltopesu

UNIVERSAL CLEANER

Universal cleaner for regular cleaning of wooden and mineral facades.
Prevents the growth of mold on surfaces and lengthens maintenance treatment intervals.

BASE PAINTS / COLORS:

CAN SIZES:

CERTIFICATES:

WOODEN FACADES - PRIMING OILS



Valtti Plus Base

PRIMING OIL

Ready-to-use, water-borne wood priming oil with bluish marking color.
Optimized absorption, retards mold growth and spread of blue stain and rot.
Registered according BPR, PT8.

BASE PAINTS/COLORS:

: CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



Valtti Primer

PRIMING OIL

Solvent-borne colorless priming oil with good penetrating properties. Retards the adverse effects of moisture and thus the spread of mold growth.

BASE PAINTS/COLORS: COLORLESS

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



Valtti Akvacolor

STAIN

Modern all-purpose low-build log wood stain. Easy-to-apply product with superior absorption into wood. Protects wood from weathering by slowing the impacts of humidity and sunlight.

CAN SIZES:

0.9 L. 2.7 L. 9 L. 18 L

BASE PAINTS / COLORS:

CERTIFICATES:



Valtti Color

STAI

Traditional all-purpose, solvent-borne and low-build wood stain. Protects the wood from weathering by slowing the impacts of humidity and sunlight

BASE PAINTS/COLORS: CAN SIZES: EC 0.9 L, 2.7 L, 9 L, 18 L

CERTIFICATES:



Valtti Plus Kesto

STAIN

Extremely durable wood stain for facades, offers twice as long maintenance interval as common wood stains. Based on modified acrylate binder and with good UV protection, forms a semi-matt, water-repellent wood protecting surface.

BASE PAINTS / COLORS: EP, OPP CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:

WOODEN FACADES – PAINTS



Valtti Opaque

WOOD FINISH

Extremely durable, opaque wood finish with low need for maintenance. Has excellent UV resistance, color stability and dirt repellence.

CAN SIZES:

0.9L, 2.7L, 9L, 18L

BASE PAINTS / COLORS: VVA, VVC

CERTIFICATES:



Ultra Classic

WOOD FINISH

Waterborne, environmentally friendly, semi-matt polyacrylate paint with excellent weather resistance. Protects wood from water, while allowing water vapor to permeate.

CAN SIZES:

0.9 L, 2.7 L, 9 L, 18 L

BASE PAINTS / COLORS: A, C

CERTIFICATES:



WOODEN FACADES – PRIMER

Ultra Primer

FACADE PAINT

Water-borne acrylate primer and undercoat for exterior wood surfaces. Retards seepage of wood extractives. Designed for use as part of Ultra system.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L (ONLY AP BASE PAINT), 2.7 L, 9 L

CERTIFICATES:

28 EXTERIOR - FACADES EXTERIOR - FACADES



FINNGARD SILICONE HYDRO MUNICIPAL FARES FALADRICA SO PORRE RECIPEL MINISTRA INCOR

Finngard Silicone Protect

FACADE PAINT

Water-borne silicone paint, hydrophobic with low water absorption for high durability. Vapor permeable, highly resistant to fungi, molds and algae. Resistant to dirt.

| BASE PAINTS / CO | LO |
|------------------|----|
| AP, C* | |

CERTIFICATES:

* FACADE COLORANTS NEEDED

Finngard Silicone Hydro

FACADE PAINT

Nanotechnology-based, water-borne silicone facade paint with self-cleaning properties. Resistant to contaminated air and repeated washing. Fast application due to short drying time.

| BASE PAINTS / COLORS |
|----------------------|
| LAP, LC* |

CERTIFICATES:

* FACADE COLORANTS NEEDED

CAN SIZES:

2.7 L, 9 L



Finngard Uni Primer

PRIMER

Acrylic facade priming paint, waterborne. Reinforces the substrate structure, limits and smooths out absorbability, unifies the color of the painted surface, improves the adhesion. Compatible with all Tikkurila Finngard facade paints, except Tikkurila Finngard Silicate Solid.

CAN SIZES:

MINERAL FACADES – PAINTS AND COATINGS

2.7 L, 9 L

| BASE PAINTS / COLORS |
|----------------------|
| ΔP |



Finngard Silicate Primer

PRIME

Water-borne, inorganic primer for exterior surfaces, prior to the application of Finngard Silicate Solid paint. Reduces the absorbency of the substrate, the consumption of topcoat and strengthens loose substrates.

| BASE PAINTS/COLORS: | |
|---------------------|--|
| TRANSPARENT | |

CAN SIZES: 3L, 10L



Kivisil Julkisivumaali

FACADE PAINT

Water-borne silicon emulsion paint for facades.

BASE PAINTS / COLORS: LA, LC* CAN SIZES: 0.9 L, 2.7 L, 9 L, 18 L

CERTIFICATES:



* FACADE COLORANTS NEEDED

MINERAL FACADES – IMPREGNATION

MINERAL FACADES – PLASTERS AND PAINTS

CAN SIZES:

0.9 L, 2.7 L, 9 L



Alfablock

IMPREGNATION AGENT

A water-borne impregnation agent for mineral surfaces, based on a mixture of silane and siloxane.

| BASE PAINTS/COLORS: | CAN SIZES: 25 L |
|---------------------|--------------------|
| | |

CERTIFICATES:



Finngard Silicate Solid

FACADE PAINT

Inorganic potash, water-borne based onecomponent facade paint. For interior and exterior painting, the highest class of non-flammability (A1 classification), high vapor permeability. May be used on damp substrate.

| BASE PAINTS / COLORS: | CAN SIZES: |
|-----------------------|------------|
| SA, SC* | 2.7 L, 9 L |
| | |
| CERTIFICATES: | |

* FACADE COLORANTS NEEDED



Finngard Acryl Beton

FACADE PAINT

Alkali-proof acrylate paint, high CO2 resistance, low water absorption, inhibits carbonation. High chemical and weather resistance, SILKO-approved.

| BASE PAINTS/COLORS: | CAN SIZES: |
|---------------------|------------|
| LA, LC* | 2.7 L, 9 L |
| CERTIFICATES: | |

* FACADE COLORANTS NEEDED



Yki Aitokivi

REAL STONE

Patented and tintable natural stone coating for walls.

| BASE PAINTS / COLORS: KPA, KPC | CAN SIZES: 14KG |
|-----------------------------------|--------------------|
| III 74 III C | 14110 |
| | |

CERTIFICATES:



Yki Rouhepinnoite

ROUGH COATING

Rough acrylate coating for concrete and masonry socles and wall surfaces.

CAN SIZES:

| BASE PAINTS / COLORS: |
|-----------------------|
| RPA, RPC |

CERTIFICATES:



Yki Sokkelimaali

SOCLE PAINT

Full-matt, alkali-resistant acrylate-based paint for mineral facades and socles.

| 27.02.17.11.127, 40.201.01 | SIZES: 2.7 L, 9 L, 18 L |
|----------------------------|----------------------------|
| A, C 0.9 L, | , 2.7 L, 9 L, 18 L |

CERTIFICATES:

30 EXTERIOR - FACADES





Garden

The maintenance of garden furniture and terraces can be very demanding, because they are exposed to weathering and abrasion. Tikkurila provides stains, lacquers and oils in various shades, both to protect and decorate furniture and terraces. Regular maintenance can essentially extend the service time of outdoor furniture and terrace equipment.

CLEANING



Homeenpoisto

Gelatinous hypochlorite solution for washing and disinfecting surfaces to be painted. Ensures good adhesion, disinfects mold and algae fungi.

BASE PAINTS/COLORS:

CAN SIZES: 1 L, 5 L

CERTIFICATES:

TAINS



Patio Kivikuullote

PAVING STAIN

Water-borne stain to color concrete garden stones and slabs. Refreshes the color of the weather worn pavings.

BASE PAINTS/COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:

PAINT



Unica Akva

PAINT


Water-borne paint for window frames, doors, frames and garden furniture, both for interior and exterior use, durable and flexible.

BASE PAINTS/COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L (A-BASE)

CERTIFICATES: (M1





34 GARDEN - GARDEN GARDEN





Unica Akva Lakka

LACQUER

Water-borne lacquer for window frames and doors, both for interior and exterior use, durable and flexible. Contains UV filter.

CAN SIZES:

0.9 L, 2.7 L, 9 L

BASE PAINTS / COLORS:





Valtti Plus Terassiöljy

TERRACE & FURNITURE OIL

Excellent durability water-borne wood oil that emphasizes beauty of wood structure. Special pigmented with UVprotection and excellent penetrating properties and vibrant translucent colors.

CAN SIZES:

BASE PAINTS / COLORS:

CERTIFICATES:



Valtti Kaluste- ja terassiöljy

TERRACE & FURNITURE OIL

Traditional, solvent-borne wood oil for terraces and furniture, emphasizes beauty of wood structure with vibrant translucent colors. Has excellent penetrating properties. Especially for hard wood.

BASE PAINTS / COLORS: BLACK, BROWN, GREY

CAN SIZES:

CERTIFICATES:

OILS



Valtti Puuöljy Akva

Water-borne tintable wood oil for terrace decking and garden furniture, provides good protection for wood, reduces graying and prevents cracking.

CAN SIZES:

0.9 L, 2.7 L, 9 L

BASE PAINTS / COLORS:

CERTIFICATES:



Valtti Puuöljy

Traditional, solvent-borne tintable wood oil for terrace decking and garden furniture, provides good protection for wood, reduces graying and prevents cracking. Especially for hard wood.

BASE PAINTS / COLORS:

CAN SIZES: 0.9 L, 2.7 L, 9 L

CERTIFICATES:



Products in alphabetical order

| Alfablock | 30 | Optiva 7 | |
|-----------------------------|----|--------------------------------|----|
| AntiReflex White 2 | 7 | Optiva 20 | |
| Argentum 20 | 20 | Optiva Primer | - |
| Betolux Akva | 13 | Otex Akva | 1 |
| Betolux Akva Pohjuste | 13 | Paneeli Ässä 10 | 12 |
| BioRid | 20 | Paneeli Ässä 20 | |
| BioRid Spray | 20 | Panssari Akva | |
| BioWash | 21 | Panssaripesu | 27 |
| Black | 16 | Patio Kivikuullote | 34 |
| Climate Cooler Cleaner | 24 | Presto LV | - |
| Climate Cooler Flex Primer | 25 | Presto Pikasilote | |
| Climate Cooler Flex Topcoat | 25 | Presto R | |
| Climate Cooler Uni Primer | | ProSeal | 2 |
| Climate Cooler Uni Topcoat | 24 | Rostex Super Akva | 2 |
| Finngard Acryl Beton | 30 | Supi Lattiaöljy | 1 |
| Finngard Silicate Primer | | Supi Laudesuoja | |
| Finngard Silicate Solid | 30 | Supi Saunapesu | 14 |
| Finngard Silicone Hydro | 30 | Supi Saunasuoja | 14 |
| Finngard Silicone Protect | | Supi Saunavaha | |
| Finngard Uni Primer | 31 | Taika Glow | 18 |
| GrafoTherm | | Taika Pearl Glaze Gold | |
| Harmony | 7 | Taika Pearl Glaze Silver | 1 |
| Helmi 10 | 11 | Taika Pearl Paint Gold | 1 |
| Helmi 30 | 11 | Taika Pearl Paint Silver | 1 |
| Helmi 80 | 11 | Taika Stardust Gold | 18 |
| Helmi Kalustekitti | 11 | Taika Stardust Silver | 18 |
| Helmi Pohjamaali | 10 | Talon Huoltopesu | 28 |
| Hole-in-1 | 6 | Tunto Hieno (Fine) | 18 |
| Homeenpoisto | 34 | Tunto Karhea (Coarse) | 18 |
| Joker | 7 | Tunto Kivi (Stone) | 18 |
| Kilpi Huopakattomaali | 27 | Ultra Classic | 29 |
| Kilpi Tiilikattomaali | 27 | Ultra Matt | 29 |
| Kiva 10 | 12 | Ultra Primer | 30 |
| Kiva 30 | 12 | Unica Akva | 34 |
| Kiva 50 | 12 | Unica Akva Lakka | 3 |
| Kiva 70 | 12 | Valtti Akvacolor | 29 |
| Kivisil Julkisivumaali | 31 | Valtti Color | 29 |
| Liitu | 16 | Valtti Kaluste- ja terassiöljy | 3 |
| Luja 7 | 8 | Valtti Opaque | 29 |
| Luja 20 | 8 | Valtti Plus Base | 28 |
| Luja 40 | 8 | Valtti Plus Kesto | 29 |
| Luja Yleispohjamaali | 7 | Valtti Plus Terassiöljy | 37 |
| Lumi | 16 | Valtti Primer | 28 |
| Magnetic | 17 | Valtti Puuöljy | 3 |
| Multistop | 10 | Valtti Puuöljy Akva | 3 |
| Muuri | 17 | Yki Aitokivi | 3 |
| Optiva 3 Ceramic | 9 | Yki Rouhepinnoite | 3 |
| Optiva 5 | 9 | Yki Sokkelimaali | 3 |

