



TIKKURILA

SUPI SAUNA PRODUCTS

For a unique ambience

With Supi products you create an inviting ambience in your sauna and protect the wood surfaces beautifully. Also your sauna will stay easy to clean for a long time. The Supi product family includes suitable products for sauna benches, panelled walls and ceilings as well as wooden floors.





SUPI SAUNAVAHA

Protective wood wax for sauna

*New quality,
richer colors*

A tintable wax for all wood surfaces in the sauna, also for benches

Supi Saunavaha is a tintable wax for the treatment of all wood surfaces in steam rooms. It can be used for the treatment of benches, panel walls and ceilings as well as doors and window frames. Supi Saunavaha is a waterborne protective finish containing natural wax. It is absorbed into the wood giving a naturally light, silky matt protection.

Ready-mixed colors are black, white and gray. More colors can be obtained through tinting.



HOW TO SUCCEED

PRE-TREATMENT

New bare wood surfaces

Clean dirt and dust off the wood surface and lightly mist it with water. Leave to dry and sand off the loose wood fibers. Remove the sanding dust.

Previously oil-treated surfaces

Wash with Supi Saunapesu Cleaning Agent as instructed, rinse thoroughly and let dry. Sand the surface, if necessary and remove sanding dust.

APPLICATION

Apply Supi Saunavaha with a brush, sponge or foam brush in the direction of wood grain. Use as much product as is absorbed into the wood with a single application. Pre-heat the sauna and ventilate it well before use.

SUPI SAUNASUOJA

Sauna Finish for panels

For wet areas

Supi Saunasuoja is a waterborne protective finish for treating the wall and ceiling panels of steam rooms, washrooms and dressing rooms. It creates a film that repels dirt and water. Supi Saunasuoja contains fungicides protecting the wood from mold. Can be tinted to the colors of the Interior Wood Stains and Lacquers color card.

Coverage: 8–12 m²/l



SUPI ARCTIC

New, clean shine for the sauna

Supi Arctic is a waterborne sauna finish containing pearlescent pigment for the treatment of walls and ceilings in steam rooms, washrooms and dressing rooms in the sauna. Tintable Supi Arctic can provide your sauna surfaces with the silky gray shade of old deadwood or the glistening black of a charred log, straight from nature. There are eleven pearly color options to choose from in the Arctic color card.

Coverage: 8–12 m²/l



*Supi Arctic
contains delicately
glimmering
pearlescent
pigment*





SUPI SAUNAPESU

Cleaning Agent

For effective cleaning

Supi Saunapesu Cleaning Agent desinfects without chlorine and effectively dissolves lime scale deposits. The acidic cleaning agent is suitable for the cleaning of wood, metal and tile surfaces in the sauna and other wet areas. Mix 1–2 dl of Saunapesu in 5 litres of water, depending on the dirtiness of the surface.



SUPI LAUDESUOJA

Protective Oil for sauna benches

Protects against dirt and moisture

Supi Laudesuoja is a paraffin oil that protects both untreated and previously with bench protection treated wood surfaces from moisture and dirt. Supi Laudesuoja is absorbed into the wood, leaving the surface looking natural. Supi Laudesuoja deepens the wood's natural color differently depending on the type of wood.

Coverage: 8–15 m²/l



SUPI LATTIAÖLJY

Protective Oil for wooden floors in wet rooms

Protects the wooden sauna floors and other wooden floors and grates in humid rooms.

Supi Lattiaöljy is a waterborne tintable wood oil emulsion based on natural oil derivatives for interior use. The product is easy to apply and it dries quickly. One coat is normally sufficient. Supi Lattiaöljy protects the wood from moisture and dirt, and retards cracking of the wooden surface. Supi Lattiaöljy can be used for protecting bare wood or previously oil-treated wood in humid premises. It is suitable also for thermally treated wood or hardwood. Supi Lattiaöljy has M1 certificate.

Supi Lattiaöljy can be tinted according to the Interior Wood Stains and Lacquers color card.

Coverage: 8–15 m²/l





TIKKURILA

861 000 MES SUPI C000

www.tikkurila.com